XXXVII

Annual

Rochester Symposium for Physics

University of Rochester
Rochester, NY 14627-0171

The College at Brockport
350 New Campus Drive
Brockport, NY 14420

Cosponsored by:
National Office of the Society of Physics Students; Department of Physics and Astronomy, University of Rochester;

LIST OF SPEAKERS

NAME	TIME	ROOM
Cristian Almodovar	11:00	Edwards 101
Jonathan Ballard	9:30	Edwards 101
Yuxuan Cao	10:30	Edwards 102
Lisa Chan	10:30	Edwards 102
Micah Coats	11:30	Edwards 103
Micah Coats	10:30	Edwards 102
Jolene Cobb	10:15	Edwards 101
Natasha Collova	9:00	Edwards 103
Anthony D'Addario	9:00	Edwards 101
Sean Dempsey Gregory	10:30	Edwards 102
Daniel Eager	1:45	Edwards 103
Patrick Flood	12:00	Edwards 101
Torri Halaquist	2:15	Edwards 103
Jeremy Hartse	10:30	Edwards 102
Josh Hayes	2:30	Edwards 103
Kassidy Howard	10:30	Edwards 102
Matthew Johnson	1:30	Edwards 101
Jafr Kazmi	1:45	Edwards 101
Ouail Kitouni	12:00	Edwards 103
Timothy Ladeairous	11:30	Edwards 101
Natalie Macdonald	10:30	Edwards 102
Jeremy Martin	1:30	Edwards 103
Morgan McCarthy	10:15	Edwards 103
Brett Meerdink	9:45	Edwards 103

Lso/TT084on2 (5o64.04

NAME	TIME	ROOM
Matthew Sodano	9:45	Edwards 103
Benjamin Swanson	10:30	Edwards 102
Pouya Tanouri	10:00	Edwards 103
Brandon Watt	11:45	Edwards 101
Jake Weeks	2:00	Edwards 103
Chris Wells	9:30	Edwards 103

9:00 AM – 10:30 AM: SESSION IB. CONDENSED MATTER & BIOLOGICAL PHYSICS (EDWARDS 101)

SESSION CHAIR: PROF. MARK Y ULY, HOUGHTON COLLEGE

9:00

11:00 AM – 12:30 PM

11:00 AM – 12:30 PM: SESSION IIIB. INSTRUMENTATION/EXPERIMENTAL TECHNIQUES (EDWARDS 101)

SESSION CHAIR: PROF. CANDICE FAZAR, ROBERTS WESLEYAN COLLEGE

11:00 Radio JOVE
Cristian Almodovar, Siena College

11:15 The Gravity Battery
Clare Reilly , Siena College

11:30 3D Object Scanner
Timothy Ladeairous, Jon Farrel, Siena College

11:45 Wild Life Trail Camera vs. Raspberry Pi Camera
Brandon Watt, Dr. McColgan, Siena College

12:00

1:30 PM – 2:45 PM: SESSION IVB. INSTRUMENTATION/EXPERIMENTAL TECHNIQUES (EDWARDS 101)

SESSION CHAIR: PROF. BETH PARKS, COLGATE UNIVERSITY

1:30 Handling Missing Data in HMIS datasets with R
Matt Johnson, Siena College

1:45 Construction of a Magneto-Optical Trap to Cool Rubidium Atoms
J. Kazmi, S. Streatfield, M. McGovern, United States Military Academy

2:00 Establishing a Laser Induced Breakdown Spectroscopy (LIBS) analysis system at the United States Military Academy
Scott Nieboer, United States Military Academy, DTRA/NSERC

2:15 Trace Element Analysis Methods of Particulate Matter
Erik Pohl, Colgate University

2:30 Modifications of XRD at Houghton College
Heather Phillips, Houghton College

SESSION IA. ASTRONOMY & ASTROPHYSICS

Probing Gas Stripping with Resolved Star-Formation Maps of Virgo Filament Galaxies
Natasha Collova, Siena College

We present a multi-wavelength study of the gas in galaxies at a variety of positions in the cosmic web surrounding the Virgo cluster, one of the best studied regions of high density in the local universe. Galaxies are very likely pre-processed in filaments before falling into clusters, and our goal is to understand how galaxies are altered as they move through the cosmic web and enter the densest regions. We present spatially resolved H-alpha imaging results for a sample of 30 galaxies that reside in the same filament. The relative extent of the stellar and star-forming disks is a sensitive probe of environmental processing, and we use this to assess the magnitude of environmentally driven gas depletion in the filament.

The Use of Different Isochrones with UniDAM
D Richmond, A. Mints, S. Hekker, S. Kanbur, SUNY Oswego; Max Planck Institute for Solar System Research, Gottingen

Clustering Fundamental Mode RR Lyrae in Relation to the Oosterhoff Dichotomy
C. Wells, S. Kanbur, A. Bhardwaj, SUNY Oswego; University of Delhi

RR Lyrae are a type of periodic variable star commonly used as standard candles in determining the distances and structures of Local Group galaxies. When RR Lyrae of the subtype RRab (fundamental mode) of globular clusters in the Milky Way are plotted in a period-amplitude diagram an effect known as the Oosterhoff Dichotomy is seen. This effect is thought to be relevant to understanding the formation of our galaxy. We have applied clustering algorithms to RRab data from the OGLE IV survey to attempt to construct a new boundary line for the Oosterhoff Dichotomy.

A Study of the Periods of Variable Stars in the OGLE Catalogue
B. Meerdink, M. Sodano, S. Kanbur, SUNY Oswego; University of Delhi

OGLE(Optical Gravitational Lensing Experiment) is a catalog of variable st The periods of 88,840 OGLE variable stars were calculated using the three programs: Period04, Conditional Entropy, and Analysis of Variance to reproduce a previous work. Discrepancies were found between some methods and OGLE.

IceCube Neutrino Observatory
Pouya Tanouri, University of Rochester

The IceCube Neutrino Observatory is one cubic kilometer of deep Antarctic ice instrumented with 5160 Digital Optical Modules (DOMs). Each DOM consists of a photomultiplier tube (PMT) and a data acquisition system that detects Cherenkov radiation from highly energetic charged leptons created by neutrinos interacting in the ice. Using IceCube we can search for neutrinos from "dark" supernovae and simulate how IceCube will respond to different supernovae in the Milky Way. Simulations in IceCube are used for both background estimation and for the description of a possible signal. Our task consisted of running different simulations to provide an estimated signal caused by different supernova and neutrino oscillation scenarios. The simulated signals are injected into IceCube's Supernovae Data Acquisition System (SNDAQ) in order to evaluate the sensitivity of IceCube neutrino detector. We also study the possibility of searching for physics beyond the Standard Model, such as the production of axions, in a galactic supernova.

Characterizing the Dark Matter Profile of the Triangulum II Galaxy
Morgan McCarthy, University of Rochester

The dwarf satellite galaxies of the Milky Way, possessing high mass-to-light ratios and comparatively close locations, make very attractive observing targets for dark matter surveys. Due to their low surface brightnesses and star formation rates, observing an excess of gamma rays from their locations could be indicative of dark matter decay or annihilation. However, these objects are challenging to study in spite of their nearness. The Ultra-Faint Dwarf Spheroidal Galaxies (UFdSphs) discovered in the last five years have inherently

SESSION IB. CONDENSED MATTER & BIOLOGICAL PHYSICS

Computational Model of Neural Synapse Characteristics Using Josephson Junctions
Anthony D'Addario, Colgate University

We seek to develop an understanding of the behavior of large neuron systems using superconducting circuits containing Josephson junctions. We begin with a review of previous studies that have shown Josephson junction neurons acting as biologically realistic models for neurons. The JJ neuron has reproduced mechanisms similar to action potentials, refractory periods, firing thresholds, as

SEM Analysis of NiTi Welds and Properties, Including Design of Strain Stage for In-situ Measurements
Jonathan Ballard, Houghton College

Laserwelded NiTi wires were analyzed using Scanning Electron Microscop (SEM) for use in an electric generator. The welds between the NiTi shape memory alloy and its mounting rings must be strong enough to withstand loading and thermal cycling. Microstructure the weld revealed dendrites that O R R N O L N H 7 L w 1 L Z K L F K F R X O G E H D J R R G U H D V R Q E U L W W O H V W U X F W X U H 6 R P H F U D F N L Q J Z D V R E V H U L Q H O D V W L F F R P S R V L W L R Q 7 L w 1 L F D Q Q H G I H F W W K H wires. A temperature-controlled strain stage has been designed for in-situ imaging to observe these structures as they are being stressed physically and thermally.

Optical Properties of Van der Waals Materials
Luke Milbocker, Rensselaer Polytechnic Institute

Layered crystals have received the attention of many researchers in recen following the discovery of graphene by Andre Geim and Kostya Novoselov in 2004. The constituent layers of these crystals are held together by weak Van der i (h

Investigating the Incorporation of Antimicro

SESSION II. POSTER SESSION

Inkjet Printed Nanocrystalline Inorganic Perovskite Films: the Novel Solar Cells

A Phoswich Detector System to Measure Sub-Second Half-Lives using ICF Reactions

Katelyn Cook, Micah Coats, Mark Yuly, Stephen Padalino, Craig Sangster, Sean Regan, Houghton College, SUNY Geneseo, Laboratory for Laser Energetics

7KH ñ+ W l+H FURVV VHFWLRQ KDV QRW E due to the difficulties of simultaneously producing both a tritium beam and target at accelerator labs. An alternative technique may be to use an ICF tt LPSORVLRQ DW WKH 20(*$ /DVHU)DFLOLW\ 7KH ñ+

Warm Dense Matter Stopping Power Experiment and Analysis with OMEGA

Yuxuan Cao, University of Rochester

The range of energetic charged particles in dense plasmas is a critical factor in inertial fusion implosions. To attain ignition, the assembled deuterium

Measurement of the Transverse Doppler Shift using the Mossbauer Effect
Micah Coat̨Houghton College

The Mossbauer effect, which is the f Me MoS Zenti m-4 (a t)-6 ((s24 (y)1

SESSION IIIB. INSTRUMENTATION/EXPE

Wild Life Trail Camera vs. Raspberry Pi Camera
Brandon Watt, Dr. McColgan, Siena College

The Browning trail camera dark ops elite model BTC-DE is a functional high end wild life camera. Yet a near similar wild life camera can be constructed through the utilization of the raspberry pi as well as raspberry pi accessories. This alters the fundamental need of purchasing such a wild life camera when a complementary one can be assembled. Exactly how close in specifications that the raspberry pi camera can get to the trail camera is the challenge and task I look to achieve.

Research Into Alkali Use in a Hybrid Optical Pumping Environment
Patrick Flood, Siena College

SESSION IVA. OTHER

Nozzle Design for a Small, Low-Speed, Closed-Return Wind Tunnel
Jeremy Martin, Houghton College

Wind tunnels are used to characterize objects aerodynamically (e.g., measuring lift and drag as a function of air velocity). They are critical in the design process of many products, including cars and planes. At Houghton College, a wind tunnel is currently being designed and built. One of the most difficult components of a wind tunnel to design is the nozzle, which contracts the air to produce a high-speed flow immediately upstream of the test object. This is difficult because the nozzle must be designed to produce a uniform flow at the exit to get an accurate representation of how air flows over the object. Furthermore, to improve flow uniformity and to increase efficiency, boundary layer separation is to be avoided inside of the nozzle. For the current wind tunnel, several commonly used nozzle designs were tested in order to determine which best fulfills the requirements above. These nozzle designs were tested using viscous, turbulent air flow simulations in ANSYS Fluent. Results and conclusions will be presented and future work highlighted.

Maximizing Corner Efficiency for a Low-Speed Closed

Effect of Temperature on Solar Panel Efficiency
Jake Weeks, Siena College

Photovoltaic panels create energy by converting solar radiation into electri
The amount of power generated by these panels can be affected by the temperature around the panel. I developed an experiment in which I could heat up and cool down a PV panel inside of a Styrofoam cooler and record the voltage and current across the panel, as well as the instantaneous temperature of the cooler using a thermistor. Based on my experiment, it can be noted that an increase in temperature would cause the voltage across the panel to decrease linearly. The current during the experiment was held constant, and therefore I observed an indirect linear relationship between the temperature of the panel and its efficiency.

Data Analysis of an Informal STEM Program
Dr. Michele McColgan, Dr. Robert Colesante, Shannon Sweet, Torri Halaquist , Siena College

Siena College hosts a STEM based program called Urban Scholars on Sa during the school year for middle school students within the Albany area. The program provides an opportunity for students to explore science, technology, arts, etc. with materials that may not be available to them otherwise. Students are encouraged to attend from fifth to eighth grade to measure growth and comfort within these subjects, and hope to instill a desire for students to finish high school and even continue their education. Our project analyzed data from student's self-reported survey data regarding interest in STEM subjects as well as their satisfaction with attending the program to measure the impact that Urban Scholars is having on students.

TensorFlow: Machine Learning In Physics
Josh Hayes, Siena College

Technology, like people, is constantly evolving and while it’s nearly impos to describe just how rapidly these changes are occurring, to put it into perspective; we have reached a point where machines may be able to reason, with the right guiding hand of course. The world of artificial intelligence has constantly been making breakthroughs, and today many can contribute to its growth with access to a computer through frameworks such as TensorFlow. By understanding the fundamentals of machine learning, one can readily apply this knowledge to a wide range of fields of study or data sets. In this presentation, I will discussthe general principles behind machine learning and more specifically how it pertains to filtering a data set.

RSPS 2018

Establishing a Laser Induced Breakdown Spectroscopy (LIBS) analysis system at the United States Military Academy
Scott Nieboer, United States Military Academy, DT-RISERC

The goal of this independent laboratory work is to establish a Laser Induce Breakdown Spectroscopy (LIBS) analysis system at the United States Military Academy (USMA) that can be used for

LIST OF PARTICIPANTS

Name	Status	Institution
Kurt Aikens	Faculty	Houghton College
Cristian Almodovar	Undergraduate Student	Siena College
Jonathan Ballard	Undergraduate Student	Houghton College
Segev BenZvi	Faculty	University of Rochester
Emma Bruce	Undergraduate Student	Houghton College
Yuxuan Cao	Undergraduate Student	University ofRochester
Lisa Chan	Undergraduate Student	The City College of New York
Stephen Clarke	Undergraduate Student	Rensselaer Polytechnic Institute
Micah Coats	Undergraduate Student	Houghton College
Jolene Cobb	Undergraduate Student	Siena College
NatashaCollova	Undergraduate Student	Siena College
Anthony D'Addario	Undergraduate Student	

RSPS 2018